



पनवेल महानगरपालिका

ता.पनवेल, जि.रायगड



जा.क्र.पमपा/सा.बां(उद्यान)/६६२३/प्र.क्र.२५/८७४/२०२३

दिनांक :- २४/११/२०२३

जाहीर सुचना

पनवेल महानगरपालिका हद्दीतील विविध ७५ उद्यान,खेळाचे मैदान व इतर आवश्यक ठिकाणी ३.०५X३.०५ मीटर X २.७५ मीटर उंचीच्या लोखंडी स्टील कॅबिन (टॉयलेट सहित) पुरवठा करून प्रस्तावित ठिकाणी बसविणे. इच्छुकांनी सदरचे निविदा दर दिनांक ०४/१२/२०२३ रोजी सायं ४.०० वाजेपर्यंत महानगरपालिकेच्या बांधकाम(उद्यान) विभागाकडे समक्ष सादर करावीत. सदर दिनांका नंतर प्राप्त झालेले दरपत्रके विचारात घेतले जाणार नाहीत.

Prefab Portable Aluminium Composite Panel Security Cabin 3.05M x 3.05M x 2.75M Ht

SR. NO.	Item	Technical specifications	Quantity	दर प्रति कॅबिन रक्कम रु. (GST वगळून)	दर प्रति कॅबिन रक्कम रु. (GST सहित)
1	Bottom Frame	1	80 x 40 x 2.5mm GI Rectangular Hollow Pipe (Apollo Make)	75	
	Stiffener Bottom	2	50 x 50 x 2mm GI Rectangular Hollow Pipe (Apollo Make) making the grid of 2' x 2'. Please note Base frame will be quoted with special type of anticorrosive paint to avoid rusting and for better life (i.e. Black Coal Tar Epoxy Paint)		
	Top Frame	3	80 x 40 x 2 mm GI Rectangular Hollow Pipe (Apollo Make)		
	Stiffener	4	40 x 40 x 2mm GI Rectangular Hollow Pipe making the grid of 2' x 2'.		
	Panelling Outside	5	Outside Wall of the cabin will be made from Exterior grade ACP Sheet of 4mm thick with aluminium foil thickness of 0.25 mm with solid colour of approved shade fitted on inside GI pipe framing making the grid of 2' x 2'. All the ACP joints will be filled with Black silicon.		
	Panelling Inside	6	Inside wall will be made from 4 MM Thk ACP sheet with aluminium foil thickness of .25mm with solid colour of approved shade fitted on inside GI pipe framing making the grid of 2' x 2'. All the ACP joints will be filled with Black silicon.		
	Plumbing Arrangement	7	UPVC concealed plumbing system is provided with all necessary inlet and outlet points as per the Drawing		
	Sanitary Fittings	8	All plumbing and sanitary fittings such as Ceramic Western Commode with seat cover, Ceramic Indian Commode, Ceramic urinal with push pillar cock, Ceramic Wash Basin, Wash basin Push Pillar Cock will be of good brand. All western Toilets must be equipped with Brass jet Spray with 2 in 1 Taps and Flush Tank.		
	Corners Pole	9	72 x 72 x 3.2mm GI Rectangular Hollow Pipe (Apollo Make)		
	Roof Outside	10	Roof will be made from 1.2mm 120 GSM GI sheets of Jindal make, which will be fully welded and sloped to avoid leakage. All the roof joints will be covered with 75mm Butyl Vinyl Tape. Roof will be covered with Heat Resistant paint to maintain low temperature inside the cabin.		
	Roof Gutter	11	Specially design gutter section will be provided to drain water at the single side of the cabin. This will be made from 1.2mm 120 gsm Gi sheet Jindal make		
	False Ceiling	12	False Ceiling will be made from 4 MM Thk ACP sheet with aluminium foil thickness of 0.25mm with solid colour of approved shade fitted on inside GI pipe framing making the grid of 2' x 2'. All the ACP joints will be filled with Black silicon.		
	Flooring	13	Flooring will be made from 18MM High Strength Cement fibre sheet (Everest make). Cement sheet then covered with the 10mm thk 2' x 2' ceramic tiles which will be fixed by using reti cement mixture of at least 50mm THK. Flooring will be mounted on GI framing structure made from 80 x 40 x 2mm making the grid of 2' x 2'.		
	Doors & Doorframe	14	Main Door and doorframe will be made from 4 mm ACP sheet which will made in specially design sections made up on CNC machines. All Door will be provided with Door Closer, Aldrop, Ball bearing hinges, Latch & D Handles in SS 304		
	Insulation	15	False Ceiling, Wall Panels and Door will be completely insulated with Glass wool of 48 kg/m3 Density and slab thickness 50mm		
	Aluminium Windows & Grills	16	Aluminium window of size 4' x 3' will be provided with grills for outside access.		
	Wiring	17	FRLS completely concealed wiring (polycab make) along with FR Conduits will be provided along with all the electrical accessories provided in the approved drawing		

SR. NO.	Item	Technical specifications	Quantity	दर प्रति कॅबिन रक्कम रु. (GST वगळून)	दर प्रति कॅबिन रक्कम रु. (GST सहित)
	Electrical Fittings	18	2 Bulkhead light, 2 Tube lights, 4 no of 6 Amp Points, 1 No of 12" High Speed Exhaust Fan (Bajaj make), 1 ceiling Fan with necessary MCB (L & T make) provision for safety		
	MCBS	19	MCB of (L & T make) will be provided for safety		
	Painting	20	Complete structure to be quoted with 2 coats of zinc each primer which in turn quoted with two coats of epoxy primer Base frame must be quoted with special type of anti-corrosive paint to avoid rusting. Also, Roof Will be quoted with special type of Heat Reflective paint for better heat resistant.		
	Legs	21	6 number of legs of 8" Height with 5mm GI Flange plate (8" x 8") will be provided		
	Exhaust Fan	22	of good Quality Usha/Bajaj/Indo Make		
	Signage and Strikers	23	All necessary strikers need to be provided to provided good aesthetic look to the cabin which includes 3' x 3' Corporation logo, Name of the cabin in vinyl sticker of 12" letter height, Toilet Signage sticker etc, as shown in images.		
	Water storage tank Stand	24	Necessary stand will be provided of size 10' x 4' for water storage tank which will be covered by cement sheet of 18mm thickness and designed in such a way that it will take the load of 1 tons.		
	Canopy	25	Necessary Decorative Canopy will be made in front of main door, window and toilet door as per approved design. Complete canopy structure will be made in 50 x 50 x 1.2 MM GI pipe. Canopy must be covered by 4 mm ACP sheet of approved shade.		

या कामी अटी व शर्ती खालील प्रमाणे:-

१. संस्था नोंदणी प्रमाणपत्र.
२. पॅनकार्ड(संस्थेचे नावाने अथवा मालकाचे नावाचे)
३. नमुद केलेले दर हे सर्व प्रकारचे वाहतुक खर्चासह समाविष्ट असावेत.
४. सदरची जाहीर सूचना फक्त दर खात्री करणे करीता मागविणेत येत आहे.
५. या कामी काही माहिती हवी असलेस बांधकाम(उद्यान) विभागाकडे संपर्क साधावा.
६. या कामी दरांची खात्री झालेनंतर जाहीर ई-निविदा मागविणेत येईल.
७. प्राप्त जाहीर निविदा सूचना दर स्वीकारण्याचे अथवा नाकारण्याचे अधिकार निविदा समितीला असतील.
८. बाजारभाव पत्रक जमा करणारी संस्था ही अनुभवी निर्माता (Manufacturer) असणे आवश्यक आहे आणि तसे नसल्यास सदर संस्थेचे दरपत्रक गृहीत धरण्यात येणार नाही . त्यासंबंधित सर्व कागदपत्रे दरपत्रकासोबत सादर करावीत.

Sd/-
(डॉ.वैभव विधाते)
उप आयुक्त(उद्यान)
पनवेल महानगरपालिका