




जाहिर निविदा

शहर अभियंता, पनवेल महानगरपालिका हद्दीतील प्रभाग समिती -ड, पनवेल (पु. व प.) मधील विविध भुखंडांवर दैनिक बाजार बांधणे. (सेक्टर -भू. क्र: १SE-९८B, १SE-१३८, २E-३५A/२, २E-३५A/४, ३E-५४A, १२-३, १३-१६, १६-३२/A, ७-B-१९A, ८-२B, १०-५/A, ५A-१९A, ६-२७C, ५-B-३१, ४-४६A, १२-५) या कामाचे अंदाजपत्रक बनविण्याकरीता खाली नमूद केलेल्या बाबींकरीता दर मागविण्यात येत आहे.

अ. क्र.	कामाचे नाव	मुदत
१	पनवेल महानगरपालिका हद्दीतील प्रभाग समिती -ड, पनवेल (पु. व प.) मधील विविध भुखंडांवर दैनिक बाजार बांधणे. (सेक्टर -भू. क्र: १SE-९८B, १SE-१३८, २E-३५A/२, २E-३५A/४, ३E-५४A, १२-३, १३-१६, १६-३२/A, ७-B-१९A, ८-२B, १०-५/A, ५A-१९A, ६-२७C, ५-B-३१, ४-४६A, १२-५)	२८/०३/२०२५ ते ०३/०४/२०२५ (७ दिवस)

Sr. No	Item Specification	Description	Quantity	Unit
1)	Providing & Fixing 4mm Thk White translucent Acrylic sheet 50mm depth circular hollow box with PMC Logo as per design with Backlit Vinyl Print Matt Lamination on Imported Avery Dennison Media & with backside 12 mm thick Sun board Channel Size of Logo shall be of 1200mm dia approved by Engineer In charge. The Logo should be backlitted with led & including all required hardware, accessories, tool, fastners etc. complete. The design should be approved by engineer or Architect		1	No.
2)	Providing & Fixing 3mm Thk Acrylic sheet CNC Cut Acrylic 50mm depth Hollow box letters for building Name plate "दैनिक बाजार" (Letter Height=30.2", 19.3") with required hardware, accessories, tool, fastners etc. complete. The design shall be approved Architect.		1	No.

3)	<p>Providing and applying paint on structural steel which is SA 2.5 copper slag Blasted.It Includes two coats of PU Paint of 70 Mic DFT of approved colour, including scaffolding if necessary,Tools and tacklets, cleaning and preparing the surface etc. Color: As per Approval.Make : Berger</p>		2,239.59 (May vary)	Sqmt
4)	<p>Valley Gutter Works</p> <p>Providing and fixing of 2mm thick Aluminium Non-Insulated gutter (Girth 600mm) with Necessary down take spout diameter upto 150 mm at required intervals & other accessories like Cover plate, end caps and welding at joints to be provided. The Girth of gutter would be upto 600mm. Dye Penetration test to be conducted wherever aluminium welding has been done. (The material shall be PVDF Coating of same roofing sheet colour).</p>		205.85	Rmt
5)	<p>Flashing Works</p> <p>Supply & Installation of 0.9MM aluminium flashing having maximum girth of upto 578mm. (The material shall be same roofing sheet). Color: As per Approval. Make: Kalzip</p>		475.3	Rmt
6)	<p>Supply & Installation Single Skin Aluminium Standing Seam Roof</p> <p>Top layer – Aluminium 65/400 profile sheeting manufactured from aluminium self-supported standing seam roof system from aluminium alloy AA 3004 H46 (AlMn1Mg1) as specified in BS EN 1396: 2007 minimum material thickness of 0.9mm and PVDF2 finish on the exposed surface. Accessories like ST Clips with Thermal Barrier Pad, Drip Angle, Eaves form Filler, Z Spacer, Ridge Closure, Gable End Challel, Gable End Clip, Tolerance Gable Clip and Fasteners.</p>		1,916.72	Sqmt

	<p>The material properties shall be as follows:</p> <p>Ultimate tensile strength: minimum 200 N/mm², 0.2% Proof Stress: min 185 N/mm², Modulus of elasticity: 70,000 N/mm².</p> <p>Sheets are to be laid to meet the requirements of the building geometry and fixed on Aluminum clips. Clip to be fixed to the top hat/purlins with SS 304 screws only. The roofing system shall be certified with a British Board of Agreement. All installation is to be carried out by approved trained roofing installer. The installation team shall be fully trained and approved by the manufacturer.</p> <p>Color: As per Approval. Make: Kalzip</p>			
7)	<p>Supply & Installation Stainless Steel Bollard made from corrosion-resistant 316 stainless steel with powder coating .</p> <p>Height: 36"</p> <p>Base Diameter: 6 "</p> <p>Approved by engineer.</p>		225	Nos.
8)	<p>Providing and applying paint on structural steel which is SA 2.5 copper slag Blasted. It Includes two coats of PU Paint of 70 Mic DFT of approved colour, including scaffolding if necessary, Tools and tacklets, cleaning and preparing the surface etc. Color: As per Approval. Make : Berger</p>		5900.88	SQM
9)	<p>VALLEY GUTTER WORKS</p> <p>Providing and fixing of 2mm thick Aluminium Non-Insulated gutter (Girth 600mm) with Necessary down take spout diameter upto 150 mm at required intervals & other accessories like Cover plate, end caps and welding at joints to be provided. The Girth of gutter would be upto 600mm. Dye Penetration test to be conducted wherever aluminium welding</p>		574.8	Rmt

	has been done. (The material shall be PVDF Coating of same roofing sheet colour).			
10)	<p>FLASHING WORK</p> <p>Supply & Installation of 0.9MM aluminium flashing having maximum girth of upto 578mm. (The material shall be same roofing sheet).</p> <p>Color: As per Approval. Make: Kalzip</p>		1341.5	Rmt
11)	<p>ROOFING WORKS</p> <p>Supply & Installation Single Skin Aluminium Standing Seam Roof</p> <p>Top layer – Aluminium 65/400 profile sheeting manufactured from aluminium self-supported standing seam roof system from aluminium alloy AA 3004 H46 (AlMn1Mg1) as specified in BS EN 1396: 2007 minimum material thickness of 0.9mm and PVDF2 finish on the exposed surface. Accessories like ST Clips with Thermal Barrier Pad,Drip Angle,Eaves form Filler,Z Spacer,Ridge Closure,Gable End Challel,Gable End Clip,Tolerance Gable Clip and Fasteners.</p> <p>The material properties shall be as follows:</p> <p>Ultimate tensile strength: minimum 200 N/mm2, 0.2% Proof Stress: min 185 N/mm2, Modulus of elasticity: 70,000 N/mm2.</p> <p>Sheets are to be laid to meet the requirements of the building geometry and fixed on Aluminum clips. Clip to be fixed to the top hat/purlins with SS 304 screws only. The roofing system shall be certified</p>		5163.63	SQM

with a British Board of Agreement. All installation is to be carried out by approved trained roofing installer. The installation team shall be fully trained and approved by the manufacturer. Color: As per Approval. Make: Kalzip			
--	--	--	--

वर नमूद सुचित दर्शविलेल्या बाबींचे पुरवठा करणारे पुरवठादार/दुकानदार/उत्पादक/विक्रेते यांनी नमूद केलेल्या बाबींकरीता असलेले दर स्वतःच्या लेटरहेडवर महापालिकेच्या कार्यालयात अथवा ई-मेल द्वारे pmcbandhkamdept01@gmail.com यावर दिनांक ०३/०४/२०२५ पर्यंत पाठवावे ही विनंती, सदर दर हे अंदाजपत्रक तयार करणेसाठी गृहित धरणेत येणार आहेत.



शहर अभियंता

पनवेल महानगरपालिका



जा.क्र पमपा/बांधकाम/ ५०२५ /प्र.क्र. ०४ /१२७५ /२०२५
दि. २७ /०३/२०२५

प्रत माहितीस्तव —

१. प्रसिध्दीकरीता
२. माहिती फलक करीता

