

पनवेल महानगरपालिका

जाहीर निविदा दरपत्रक


आयुक्त, पनवेल महानगरपालिका क्षेत्रातील प्रभाग समिती - अ, खारघर येथील सेक्टर-२१ मधील भुखंड क्र.१५१ व १५१ अ महापौर निवासस्थान येथील परिसरात पावसाळी गटार व इतर अनुषंगिक कामे करणे. या कामाचे अंदाजपत्रक बनविण्याकरीता खाली नमूद केलेल्या बाबीकरीता खालील नमूण्यात दर मागविण्यात येत आहे.

अ.क्र.	कामाचे नाव	मुदत
१	पनवेल महानगरपालिका क्षेत्रातील प्रभाग समिती - अ, खारघर येथील सेक्टर-२१ मधील भुखंड क्र.१५१ व १५१ अ महापौर निवासस्थान येथील परिसरात अतिरिक्त कामे करणे.	१०/११/२०२५ ते १८/११/२०२५ (७ दिवस)

Specification

Sr. No	DESCRIPTION	Unit	Rate
1	LIGHT 851-35-45W Power Module LED, 3000K, Upright-Make ERI/ DW WINDSOR/GHM Supplying & Erecting Post Top LIGHT -35-45W Power Module LED, 3000K, Upright It's upper square frame made in die cast aluminum, auxiliary and optical compartment can be accessed by tilting the top frame, Bottom frame made in die cast aluminum with four-armed bracket with flange and a hole (Ø 28 mm) for attachment to the support. Screen made in polymethylmethacrylate (PMMA)molded in a single piece. Impact resistance: IK06. Pure polyester powder coating in Standard NERI Grey Colour. IP Rating - IP 66. Height - 605mm, Length - 325mm, Width - 325mm, Weight - 6Kg. Area Exposed to Wind(S) - 0.15 m2 Power LED Module with Company /brand name printed on PCB with the metal core plate. LED chips of CREE/NICHIA/OSRAM/LUMILED make shall be used. Colour Rendering Index: Ra > 70. Electronic Power Supply for LED Module, which offers Protection against Short Circuit, Over- Voltage & Over- Current, with in-built surge protection (an additional surge protection device of 10kV also provided in-built the fixture). Optics with refractive lens in PMMA/PC . LED Lifetime >1,00,000hours. LM80 report from LED Manufacturer should be submitted. Safety test report as per IEC 60598/IS 10322 from UL/UL Authorised/3rd party NABL should be submitted. LM79 report also should be submitted from UL/UL Authorised/3rd party NABL Laboratory. BIS Certificate with manufacturer name same as brand proposed should be submitted. Sample should be submitted for approval from concerned engineer-in charge.The Product shall be with a comprehensive 3 year warranty.	Nos.	
2	ARCHITECTURAL GATE BRACKET (WALL TOP MOUNTED) Make ERI/ DW WINDSOR/GHM Supplying & Erecting Post Top LIGHT Gate Bracket Made of steel pipe section of 76mm dia. Entire Bracket shall be made to provide pleasing aesthetics as approved by Concerned Engineer in-charge. After Fabrication, Entire Bracket should be shot blasted for the effective adhesion of 3layer coating so as to avoid the corrosion. The bracket to be provided with suitable size base plate. This base plate along with foundation bolts of suitable size to be used for ensuring firm grouting into the specially designed RCC foundation. Bracket & it's parts are painted in 3 layer coating (coating thickness-100 microns minimum) in which 1st layer with etch primer, 2nd layer with epoxy primer & 3rd final layer with PU paint - customised colour Metallic Grey.The Product shall be with a comprehensive 3 year warranty.	Nos.	

वर नमूद सुचित दर्शविलेल्या बाबींचे पुरवठा करणारे पुरवठादार/दुकानदार/उत्पादक/विक्रेते यांनी नमूद केलेल्या बाबीकरीता असलेले दर स्वतःच्या लेटरहेडवर महापालिकेच्या कार्यालयात अथवा ई-मेल द्वारे pmcbandhkamdept01@gmail.com /panvelcorporation@gmail.com यावर दिनांक १८/११/२०२५ पर्यंत पाठवावे ही विनंती, सदर दर हे अंदाजपत्रक तयार करणेसाठी गृहित धरणेत येणार आहेत.


कार्यकारी अभियंता
पनवेल महानगरपालिका

जा.क्र पमपा/बांधकाम/६४२४/प्र.क्र.१४/८९८९ /२०२५,

दि.०४/११/२०२५

प्रत माहितीस्तव - १. माहिती फलक करीता